

	Genus	Species epithet	Authority	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	COVID	2021	2022	2023	2024	NOTES	# Years
1	Agaricus	arvensis	Schaeffer	X						X												2
2	Agaricus	campestris	Linnaeus	X																		1
3	Agaricus	rutilescens, aff.	Peck						X													1
4	Agaricus	sylvicola	(Vittadini) Peck	X	X	X			X	X		X		X								7
5	Agaricus	sp.											X					X	X			3
6	Albatrellus	confluens	(Albertini & Schweinitz) Kotlaba & Pouzar						X													1
7	Albatrellus	ovinus	(Schaeffer) Kotl. & Pouzar								X	X						X	X			4
8	Aleuria	aurantia	(Persoon) Fuckel		X	X	X	X		X	X				X			X				8
9	Alloclavaria	purpurea	(Fries) Dentinger & D.J. McLaughlin	X	X	X	X	X	X					X			X	X			Formerly referred to as <i>Clavaria p.</i>	9
10	Alpova	sp.												X								1
11	Amanita	augusta	Bojantchev & R.M. Davis	X	X	X	X	X	X			X						X			Formerly referred to as <i>A. franchetii</i>	8
12	Amanita	fulva s.l.	Fries					X						X			X					3
13	Amanita	gemmata s.l.	(Fries) Bertillon					X														1
14	Amanita	muscaria (group)	(Linnaeus) Lamarck	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X			15
15	Amanita	porphyria	Albertini & Schweinitz				X	X	X	X			X				X	X				7
16	Amanita	vaginata (group)	(Bulliard) Lamarck	X	X	X	X	X	X	X	X	X	X	X			X	X	X			14
17	Ampulloclitocybe	clavipes	(Persoon) Redhead, Lutzoni, Moncalvo & Vilgalys		X								X				X	X	X			5
18	Antrodia	albida	(Fries) Donk				X															1
19	Armillaria	nabsnona, cf.	T.J. Volk & Burdsall		X							X										2
20	Armillaria	solidipes, cf.	Peck						X												Also referred to as <i>A. ostoyae</i> .	1
21	Armillaria	sp.												X			X					2
22	Aspropaxillus	giganteus	(Sowerby) Kühner & Maire														X					1
23	Aureoboletus	mirabilis	(Murrill) Halling	X	X	X	X	X	X	X		X	X	X	X		X	X	X		Also referred to as <i>Boletus m.</i>	14
24	Bisporella	citrina	(Batsch) Korf & S.E. Carpenter		X	X	X					X					X	X				6
25	Bjerkandera	adusta	(Willdenow) P. Karsten											X								1
26	Boletus	edulis	Bulliard	X	X	X	X	X	X	X	X	X	X	X			X	X	X			14
27	Boletus	luridiformis sensu AK		X	X	X	X	X	X	X		X	X	X	X		X	X	X		Will be described as a new species	14
28	Boletus	xerocomus		X																	This was probably <i>Boletus (Xerocomus)</i>	1
29	Calocybe	fallax															X					1
30	Caloboletus	conifericola	Vizzini	X	X	X	X	X	X	X		X	X	X	X		X	X	X		Formerly referred to as <i>Boletus con</i>	14
31	Calocera	cornea	(Batsch) Fries										X									1
32	Calvatia	fumosa	Zeller		X																≡ <i>Gastropila fumosa</i> (Zeller) P. Poni	1
33	Calvatia	sp.		X									X									2
34	Cerrena	unicolor	(Bulliard) Murrill											X	X							2
35	Chalciporus	piperatus	(Bulliard) Bataille	X	X	X	X	X	X	X		X	X	X	X		X	X	X			14
36	Cheimonophyllum	candidissimus	(Saccardo) Singer		X									X			X	X				4
37	Chlorociboria	aeruginascens / aeruginosa	(Nylander) Kanouse ex C.S. Ramamurthi, Korf & L.R. Batra / (Oeder) Seaver ex C.S. Ramamurthi, Korf & L.R. Batra				X			X		X		X	X			X				6
38	Chlorophyllum	olivieri	(Barla) Vellinga											X								1
39	Chlorophyllum	rhacodes	(Vittadini) Vellinga											X								1
40	Chroogomphus	tomentosus	(Murrill) O.K. Miller	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X			15
41	Chrysomphalina	aurantiaca	(Peck) Redhead					X	X													2
42	Claudopus	byssisedus	(Persoon) Gillet								X	X		X			X				≡ <i>Entoloma byssisedum</i> (Persoon)	4
43	Clavaria	rosea	Fries										X									1
44	Clavariadelphus	sachalinensis / ligula	(S. Imai) Corner / (Schaeffer) Donk	X	X	X	X	X	X			X	X	X			X	X	X			12
45	Clavariadelphus	truncatus	Donk			X	X		X				X	X			X					6
46	Clavulina	cristata (group)	(Holmskjöld) J. Schröter		X	X						X	X				X				= <i>Clavulina coralloides</i> (Linnaeus) J.	5
47	Clavulina	rugosa, cf.	(Bulliard) J. Schröter							X												1
48	Clavulina	sp.					X			X												2
49	Clavulinopsis	laeticolor, cf.	(Berkeley & M.A. Curtis) R.H. Petersen											X								1
50	Climacocystis	borealis	(Fries) Kotlaba & Pouzar												X							1
51	Clitocybe	connata	(Schumacher) Gillet				X								X		X				≡ <i>Leucocybe connata</i> (Schumacher)	3
52	Clitocybe	fragrans complex	(Withering) P. Kummer						X			X					X					3
53	Clitocybe	nebularis	(Batsch) P. Kummer														X					1
54	Clitocybe	sp.				X			X				X					X				4
55	Clitocybe	squamulosa var. montana	H.E. Bigelow				X															1
56	Clitopilus	prunulus	(Scopoli) P. Kumm	X	X	X	X	X	X	X		X	X	X			X	X	X			13
57	Clitopilus	sp.								X												1
58	Collybia	cirrhatta	(Schumacher) Quélet		X	X	X	X	X	X		X	X	X	X		X	X				12

	Genus	Species epithet	Authority	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	COVID	2021	2022	2023	2024	NOTES	# Years
59	<i>Collybia</i>	<i>cookei</i>	(Bresadola) J.D. Arnold					X		X												2
60	<i>Collybia</i>	<i>tuberosa</i>	(Bulliard) P. Kummer		X					X		X		X			X	X	X			7
61	<i>Coprinellus</i>	<i>micaceus</i>	(Bulliard) Vilgalys, Hopple & Jacq. Johnson		X					X		X						X				4
62	<i>Coprinopsis</i>	<i>atramentaria</i>	(Bulliard) Redhead, Vilgalys & Moncalvo	X	X		X	X	X	X		X	X	X	X		X	X	X			13
63	<i>Coprinopsis</i>	<i>lagopus</i>	(Fries) Redhead, Vilgalys & Moncalvo	X	X		X		X		X											7
64	<i>Coprinus</i>	<i>comatus</i>	(O.F. Müller) Persoon		X		X					X		X			X	X				6
65	<i>Coprinus s.l.</i>	<i>sp.</i>		X													X					2
66	<i>Cortinarius</i>	<i>alboglobosus</i>	Kytövuori, Liimatainen, Niskanen & Ammirati															X				1
67	<i>Cortinarius</i>	<i>alboviolaceus</i>	(Persoon) Fries				X							X				X		Records possibly represent two diff		3
68	<i>Cortinarius</i>	<i>anomalus (group)</i>	(Fries) Fries				X					X	X	X			X	X	X			7
69	<i>Cortinarius</i>	<i>anthracinus (group)</i>	Fries											X			X	X	X			4
70	<i>Cortinarius</i>	<i>argutus</i>	Fries											X				X				2
71	<i>Cortinarius</i>	<i>armillatus</i>	(Fries) Fries				X	X				X										3
72	<i>Cortinarius</i>	<i>balteatus</i>	Fries														X	X				2
73	<i>Cortinarius</i>	<i>barlowensis</i>																X	X			2
74	<i>Cortinarius</i>	<i>brunneus</i>	(Persoon) Fries															X	X			2
75	<i>Cortinarius</i>	<i>brunneus (group)</i>				X	X				X	X	X	X								6
76	<i>Cortinarius</i>	<i>cacaocolor</i>	A.H. Smith														X	X	X			3
77	<i>Cortinarius</i>	<i>callisteus</i>	(Fries) Fries					X		X		X	X				X	X	X			7
78	<i>Cortinarius</i>	<i>camphoratus</i>	(Fries) Fries			X		X	X	X	X	X	X	X			X	X	X			11
79	<i>Cortinarius</i>	<i>caperatus</i>	(Persoon) Fries	X	X	X	X	X	X	X	X	X	X	X			X	X	X		= <i>Rozites c.</i>	14
80	<i>Cortinarius</i>	<i>cinnamomeus s.l.</i>	(Linnaeus) Gray	X	X	X	X	X	X	X	X	X	X	X	X				X			13
81	<i>Cortinarius</i>	<i>collinitis (group)</i>																X				1
82	<i>Cortinarius</i>	<i>crassus</i>	Fries														X	X	X			4
83	<i>Cortinarius</i>	<i>croceus (group)</i>	(Schaeffer) Gray			X	X	X	X			X	X	X	X		X	X	X			11
84	<i>Cortinarius</i>	<i>cyanites</i>	Fries				X										X		X	or Violacea R.		3
85	<i>Cortinarius</i>	<i>delibutus, cf.</i>	Fries					X				X						X				3
86	<i>Cortinarius</i>	<i>emunctus</i>	Fries							X				X				X				3
87	<i>Cortinarius</i>	<i>evernius</i>	(Fries) Fries			X		X						X			X	X	X			6
88	<i>Cortinarius</i>	<i>flexipes</i>	(Persoon) Fries							X		X										2
89	<i>Cortinarius</i>	<i>gentilis</i>																X				1
90	<i>Cortinarius</i>	<i>herpeticus</i>	Fries							X		X						X		= <i>C. scaurus</i> per IF		3
91	<i>Cortinarius</i>	<i>infractus</i>	(Persoon) Fries											X								1
92	<i>Cortinarius</i>	<i>limonius</i>	(Fries) Fries								X			X								2
93	<i>Cortinarius</i>	<i>lucorum</i>	(Fries) P. Karsten														X					1
94	<i>Cortinarius</i>	<i>multiformis</i>	Fries							X		X		X				X	X			5
95	<i>Cortinarius</i>	<i>niveoglobosus</i>	H. Lindström								X							X				2
96	<i>Cortinarius</i>	<i>occidentalis</i>	A.H. Smith			X		X	X			X	X	X			X	X	X		= <i>C. mutabilis</i>	9
97	<i>Cortinarius</i>	<i>ominosus</i>	Bidaud														X			Probably should combine <i>semisanguineus</i>		1
98	<i>Cortinarius</i>	<i>pholideus</i>	(Liljeblad) Fries							X				X								2
99	<i>Cortinarius</i>	<i>porphyropus</i>	(Albertini & Schweinitz) Fries											X				X	X			3
100	<i>Cortinarius</i>	<i>pseudofervidus</i>																X				1
101	<i>Cortinarius</i>	<i>renidens</i>	Fries						X													1
102	<i>Cortinarius</i>	<i>riederi</i>	(Weinmann) Fries			X								X			X	X	X			5
103	<i>Cortinarius</i>	<i>saginus</i>	(Fries) Fries											X				X			= <i>Phlegmacium saginum</i> (Fr.) Niska	3
104	<i>Cortinarius</i>	<i>salor, aff.</i>	Fries					X			X	X	X	X				X	X			8
105	<i>Cortinarius</i>	<i>sectsaturnini</i>																X				1
106	<i>Cortinarius</i>	<i>Section Anomali</i>																X				1
107	<i>Cortinarius</i>	<i>Section Dermocybe</i>	<i>Section Scauri</i>															X	X			2
108	<i>Cortinarius</i>	<i>Section Scauri</i>	<i>Section Scauri</i>															X	X			2
109	<i>Cortinarius</i>	<i>Section Telamonia</i>																X	X	X		3
110	<i>Cortinarius</i>	<i>semisanguineus</i>	(Fries) Gillet	X		X	X	X	X	X		X	X	X				X			These probably represent <i>C. ominosus</i>	10
111	<i>Cortinarius</i>	<i>septentrionalis</i>	Bendiksen, K. Bendiksen & Brandrud														X	X	X			3
112	<i>Cortinarius</i>	<i>smithii</i>	Ammirati, Niskanen & Liimatainen															X				1
113	<i>Cortinarius</i>	<i>spp.</i>				X	X	X				X	X					X				6
114	<i>Cortinarius</i>	<i>spilomeus, aff.</i>	(Fries) Fries															X				1
115	<i>Cortinarius</i>	<i>subtortus, aff.</i>	(Persoon) Fries														X		X			2
116	<i>Cortinarius</i>	<i>talimultiformis</i>	Kytövuori, Liimatainen, Niskanen, A.F.S. Taylor & Sesli															X			= <i>Thaxterogaster talimultiformis</i> (Ky)	1

	Genus	Species epithet	Authority	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	COVID	2021	2022	2023	2024	NOTES	# Years
117	<i>Cortinarius</i>	<i>talus</i>																				1
118	<i>Cortinarius</i>	<i>traganus</i>	(Fries) Fries	X	X	X	X	X	X	X	X	X	X	X			X	X	X			14
119	<i>Cortinarius</i>	<i>trivialis</i>	J.E. Lange			X						X					X	X				4
120	<i>Cortinarius</i>	<i>turmalis</i>	Fries										X	X			X	X	X			5
121	<i>Cortinarius</i>	<i>varicolor</i>	(Persoon) Fries											X								1
122	<i>Cortinarius</i>	<i>vibratilis (group)</i>	(Fries) Fries					X				X	X	X			X	X	X		Most of our collections <i>C. causticus</i>	7
123	<i>Cortinarius</i>	<i>violaceus</i>	(Linnaeus) Gray	X	X	X	X	X	X	X	X	X	X	X			X	X	X		Only one in 2023	14
124	<i>Craterellus</i>	<i>tubaeformis</i>	(Fries) Quélet	X	X	X	X	X	X	X	X	X	X	X			X	X	X			14
125	<i>Craterellus</i>	<i>"Fibrillose Birch"</i>															X					1
126	<i>Cudonia</i>	<i>circinans</i>	(Persoon) Fries	X	X	X	X	X		X	X	X	X	X			X	X	X			13
127	<i>Cudonia</i>	<i>grisea</i>															X	X				2
128	<i>Cudonia</i>	<i>sp.</i>							X	X			X				X	X	X			6
129	<i>Cystoderma</i>	<i>amianthinum</i>	(Scopoli) Fayod	X	X	X	X	X	X	X		X	X	X			X	X	X			12
130	<i>Cystoderma</i>	<i>fallax</i>	A.H. Smith & Singer														X	X				2
131	<i>Cystoderma</i>	<i>jasonis</i>	(Cooke & Massee) Harmaja														X					1
132	<i>Cystoderma / Cystodermella</i>	<i>sp.</i>												X			X	X				3
133	<i>Cystodermella</i>	<i>granulosa</i>	(Batsch) Harmaja											X			X					2
134	<i>Dacrymyces</i>	<i>sp.</i>															X					1
135	<i>Daedaleopsis</i>	<i>confragosa</i>	(Bolton) J. Schroeter																	X		1
136	<i>Echinodontium</i>	<i>tinctorium</i>	(Ellis & Everhart) Ellis & Everhart											X			X					2
137	<i>Elaphomyces</i>	<i>granulatus</i>	Fries		X																	1
138	<i>Entoloma</i>	<i>sericeum, cf.</i>	Quélet			X																1
139	<i>Entoloma</i>	<i>sp.</i>						X				X		X			X	X	X			6
140	<i>Flammulina</i>	<i>velutipes (group)</i>	(Curtis) Singer		X														X			2
141	<i>Fomes</i>	<i>fomentarius</i>	(Linnaeus) Fries				X					X		X			X	X				5
142	<i>Fomitopsis</i>	<i>mounceae</i>	J.-E. Haight & Nakasone	X	X	X	X	X	X	X		X	X	X	X		X	X	X		Formerly referred to as <i>F. pinicola</i> .	14
143	<i>Fomitopsis</i>	<i>ochracea</i>	Ryvarden & Stokland						X			X		X			X	X	X		Formerly referred to as <i>F. pinicola</i> .	6
144	<i>Galerina</i>	<i>marginata s.l.</i>	(Batsch) Kühner	X	X		X	X	X		X	X	X	X			X	X				11
145	<i>Ganoderma</i>	<i>applanatum</i>	(Persoon) Patouillard	X					X				X	X	X		X	X	X			7
146	<i>Gurprina</i>	<i>helvelloides</i>																X				1
147	<i>Gloeophyllum</i>	<i>sepiarium</i>	(Wulfen) P. Karsten				X	X					X				X					4
148	<i>Grandinia (Hyphodontia)</i>	<i>sp.</i>					X											X				2
149	<i>Gymnopilus</i>	<i>penetrans / sapineus</i>	(Fries) Murrill / (Fries) Murrill														X					1
150	<i>Gymnopilus</i>	<i>sp.</i>								X			X				X					3
151	<i>Gymnopus</i>	<i>acervatus</i>	(Fr.) Murrill			X	X	X						X			X	X	X		= <i>Connopus a.</i> (Fries) K.W. Hughes	7
152	<i>Gymnopus</i>	<i>confluens</i>	(Persoon) Antonín, Halling & Noordeloos							X							X					2
153	<i>Gymnopus</i>	<i>dryophilus</i>	(Bulliard) Murrill														X					1
154	<i>Gyromitra</i>	<i>infula / ambigua</i>	(Schaeffer) Quélet / (P. Karsten) Harmaja		X	X			X				X				X	X	X			7
155	<i>Hebeloma</i>	<i>sp.</i>			X							X		X			X					5
156	<i>Hebeloma mesophaeum</i>																X					1
157	<i>Hebeloma</i>	<i>immutabile</i>	A.H. Smith, V.S. Evenson & Mitchel														X					1
158	<i>Hebeloma</i>	<i>velutipes</i>	Bruchet														X				IF says <i>H. leucosarx</i> .	1
159	<i>Helvella</i>	<i>sp.</i>										X						X				2
160	<i>Hemileccinum (Boletus)</i>	<i>subglabripes</i>	(Peck) Halling	X				X	X	X		X	X		X		X	X				9
161	<i>Hemimycena</i>	<i>delectabilis</i>	(Peck) Singer																		= <i>Atheniella delectabilis</i> (Peck) Lüd	1
162	<i>Hemimycena</i>	<i>delicatella</i>	(Peck) Singer						X												= <i>H. lactea</i> (Persoon) Singer per IF	1
163	<i>Hemimycena</i>	<i>sp.</i>															X					1
164	<i>Hericium</i>	<i>abietis</i>	(Weir ex Hubert) K.A. Harrison				X	X	X			X										4
165	<i>Hericium</i>	<i>americanum</i>	Ginns						X												ID?	1
166	<i>Hericium</i>	<i>coralloides</i>	(Scopoli) Persoon						X				X	X	X		X					5
167	<i>Heterotextus</i>	<i>alpinus / luteus</i>	(Earle) G.W. Martin						X				X				X				= <i>Guepiniopsis alpina</i> (Earle) Brasfe	3
168	<i>Hydnellum</i>	<i>peckii</i>	Banker	X	X	X	X					X	X				X	X	X			9
169	<i>Hydnum</i>	<i>repandum (group)</i>	Linnaeus	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X			15
170	<i>Hydnum</i>	<i>umbilicatum (group)</i>	Peck														X	X	X			2
171	<i>Hygrocybe</i>	<i>conica</i>	(Schaeffer) P. Kummer		X		X		X			X	X				X	X	X			8
172	<i>Hygrocybe</i>	<i>miniata, cf.</i>	(Fries) P. Kummer				X			X		X										3
173	<i>Hydropus</i>	<i>sp.</i>												X								1
174	<i>Hygrophoropsis</i>	<i>aurantiaca (group)</i>	(Wulfen) Maire	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X			15
175	<i>Hygrophorus</i>	<i>bakerensis</i>	A.H. Smith & Hesler						X												This probably is <i>H. moticola</i> .	1
176	<i>Hygrophorus</i>	<i>camarophyllus</i>	(Albertini & Schweinitz) Dumée, Grandjean & Maire	X								X										2
177	<i>Hygrophorus</i>	<i>chrysodon, cf.</i>	(Batsch) Fries	X																		1

	Genus	Species epithet	Authority	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	COVID	2021	2022	2023	2024	NOTES	# Years
178	<i>Hygrophorus</i>	<i>erubescens</i>	(Fries) Fries									X					X	X	X			4
179	<i>Hygrophorus</i>	<i>inocybiformis</i>	A.H. Smith				X															1
180	<i>Hygrophorus</i>	<i>monticola</i> , cf.	A.H. Smith & Hesler		X																	1
181	<i>Hygrophorus</i>	<i>olivaceoalbus</i>	(Fries) Fries	X	X												X				These probably represent <i>H. fuscos</i>	3
182	<i>Hygrophorus</i>	<i>pacificus</i>	A.H. Smith & Hesler											X				X				2
183	<i>Hygrophorus</i>	<i>piceae</i>	Kühner	X	X	X		X	X			X		X				X				8
184	<i>Hygrophorus</i>	<i>purpurascens</i>	(Albertini & Schweinitz) Fries		X	X	X											X				4
185	<i>Hygrophorus</i>	<i>pustulatus</i>	(Persoon) Fries															X				1
186	<i>Hypholoma</i>	<i>capnoides</i>	(Fries) P. Kummer	X	X	X	X	X	X	X		X	X	X	X		X	X	X			14
187	<i>Hypholoma</i>	<i>elongatipes</i> / <i>elongatum</i>	(Peck) A.H. Smith											X			X				Name (" <i>elongatipes</i> ") illegitimate?	2
188	<i>Hypholoma</i>	<i>fasciculare</i>	(Hudson) P. Kummer		X	X	X															3
189	<i>Hypholoma</i>	<i>marginatum</i>	J. Schröter			X		X	X						X		X	X			= <i>H. dispersum</i>	6
190	<i>Hypholoma</i>	<i>sublateritium</i> , cf.	(Fries) Quélet						X												IF uses <i>Hypholoma lateritium</i> (Schaeff)	1
191	<i>Hypocrea</i>	<i>citrina</i>	(Persoon) Fries						X												= <i>Trichoderma citrinum</i> (Persoon) J.	1
192	<i>Hypocrea</i>	<i>pulvinata</i>	Fuckel											X			X				Current name <i>Trichoderma pulvinata</i>	2
193	<i>Hypomyces</i>	<i>aurantius</i>	Hennings				X		X									X				3
194	<i>Hypomyces</i>	<i>chrysopermum</i>	Tulasne & C. Tulasne		X			X										X				3
195	<i>Hypomyces</i>	<i>lactifluorum</i>	(Schweinitz) Tulasne & C. Tulasne		X			X														2
196	<i>Hypomyces</i>	<i>luteovirens</i>	(Fries) Tulasne & C. Tulasne						X			X										2
197	<i>Hypsizygus</i>	<i>tessulatus</i>	(Bulliard) Singer														X		X			2
198	<i>Inocybe</i>	<i>geophylla</i> (group)	(Bulliard) P. Kummer					X										X				2
199	<i>Inocybe</i>	<i>kauffmanii</i> , cf.	A.H. Smith						X													1
200	<i>Inocybe</i>	sp.		X								X	X	X				X	X			6
201	<i>Inonotus</i>	<i>obliquus</i>	(Fries) Pilát						X						X	X						3
202	<i>Ischnoderma</i>	<i>resinosum</i>	(Schradler) P. Karsten					X												X		2
203	<i>Kuehneromyces</i>	<i>mutabilis</i>	(Schaeffer) Singer & A.H. Smith				X	X				X		X			X				= <i>Pholiota mutabilis</i> (Schaeffer) P. Karsten	5
204	<i>Laccaria</i>	<i>bicolor</i>	(Maire) P.D. Orton	X	X		X	X	X		X	X	X	X			X	X	X			12
205	<i>Laccaria</i>	<i>laccata</i> (group)	(Scopoli) Cooke	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X			15
206	<i>Laccaria</i>	<i>nobilis</i>	A.H. Smith						X	X							X	X				4
207	<i>Lactarius</i>	<i>affinis</i>	Peck											X				X				2
208	<i>Lactarius</i>	<i>alpinus</i>	Peck															X				1
209	<i>Lactarius</i>	<i>atrobadius</i>	Hesler & A.H. Smith							X	X							X				4
210	<i>Lactarius</i>	<i>aurantiosordidus</i>	Nuytinck & S.L. Miller															X				1
211	<i>Lactarius</i>	<i>circellatus</i>	Fries	X	X				X				X	X								5
212	<i>Lactarius</i>	<i>controversus</i>	Persoon	X	X				X			X	X	X			X	X				6
213	<i>Lactarius</i>	<i>deliciosus</i> (group)	(Linnaeus) Gray	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X			15
214	<i>Lactarius</i>	<i>fallax</i>	A.H. Smith & Hesler							X				X								2
215	<i>Lactarius</i>	<i>fragilis</i> , cf.							X												ID?	1
216	<i>Lactarius</i>	<i>glyciosmus</i>	(Fries) Fries		X				X	X		X	X	X			X	X	X			9
217	<i>Lactarius</i>	<i>pseudomucidus</i>	Hesler & A.H. Smith		X	X	X	X			X	X	X	X			X	X	X			11
218	<i>Lactarius</i>	<i>pubescens</i> var. <i>betulae</i>	(A.H. Smith) Hesler & A.H. Smith											X				X				2
219	<i>Lactarius</i>	<i>repraesentaneus</i>	Britzelmayer	X			X											X				3
220	<i>Lactarius</i>	<i>resimus</i>	(Fries) Fries			X	X	X				X			X							5
221	<i>Lactarius</i>	<i>rufus</i>	(Scopoli) Fries	X	X	X	X	X	X	X	X	X	X	X			X	X	X			14
222	<i>Lactarius</i>	<i>scrobiculatus</i>	(Scopoli) Fries	X	X	X	X	X	X	X	X	X	X	X			X	X	X			14
223	<i>Lactarius</i>	<i>sordidus</i> / <i>olivaceo-umbrinus</i>	Peck	X	X	X	X	X	X	X	X	X	X	X			X	X				13
224	<i>Lactarius</i>	<i>subviscidus</i>	Hesler & A.H. Smith															X	X			2
225	<i>Lactarius</i>	<i>torminosus</i>	(Schaeffer) Gray		X	X			X	X		X	X				X	X				8
226	<i>Lactarius</i>	<i>uvidus</i>	Fries				X	X			X	X						X				5
227	<i>Laetiporus</i>	<i>conifericola</i>	Burdsall & Banik			X	X	X	X	X				X	X			X	X			11
228	<i>Leccinum</i>	<i>alaskanum</i>	V.L. Wells & Kempton	X	X	X	X	X	X	X			X	X	X		X	X	X			13
229	<i>Leccinum</i>	<i>arctostaphyli</i>	V.L. Wells & Kempton		X																	1
230	<i>Leccinum</i>	<i>atrostipitatum</i>	A.H. Smith, Thiers & Watling									X		X			X	X			<i>L. versipelle</i> (Fries & Hök) Snell is c	4
231	<i>Leccinum</i>	<i>aurantiacum</i>	(Bulliard) Gray		X	X												X	X			4
232	<i>Leccinum</i>	<i>insigne</i>	A.H. Smith, Thiers & Watling	X			X		X	X		X						X	X			7
233	<i>Leccinum</i>	<i>scabrum</i>	(Bulliard) Gray		X	X	X										X					4
234	<i>Leccinum</i>	sp.								X	X			X				X				3
235	<i>Leccinum</i>	<i>versipelle</i> , cf.	(Fries & Hök) Snell						X			X										2
236	<i>Lentinellus</i>	<i>micheneri</i>	(Berkeley & M.A. Curtis) Pegler														X					1
237	<i>Lentinellus</i>	sp.																				1
238	<i>Lentinellus</i>	<i>ursinus</i> (group)						X						X								2
239	<i>Lentinellus</i>	<i>vulpinus</i>	(Sowerby) Kühner & Maire	X									X									2
240	<i>Lentinus</i>	<i>strigosus</i>	Fries														X					2
241	<i>Lepiota</i>	<i>felina</i>	(Persoon) P. Karsten									X										1

	Genus	Species epithet	Authority	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	COVID	2021	2022	2023	2024	NOTES	# Years
242	<i>Lepiota</i>	<i>magnispora</i>	Murrill							X		X					X		X			4
243	<i>Lepiota</i>	<i>sp.</i>			X					X												2
244	<i>Lepista</i>	<i>nuda</i>	(Bulliard) Cooke											X				X				2
245	<i>Lepista</i>	<i>subconnexa</i>	(Murrill) Harmaja											X								1
246	<i>Leucopaxillus</i>	<i>albissimus</i>	(Peck) Singer	X	X													X				3
247	<i>Leucopaxillus</i>	<i>gentianeus</i>	(Quélet) Kotlaba		X																	1
248	<i>Lichenomphalia</i>	<i>umbelliferum</i>	(Linnaeus) Redhead, Lutzoni, Moncalvo & Vilgalys		X				X	X		X	X				X	X				7
249	<i>Limacella</i>	<i>sp.</i>		X																		1
250	<i>Lycoperdon</i>	<i>nigrescens</i>	Persoon	X	X		X	X		X											= <i>L. foetidum</i> Bonorden	5
251	<i>Lycoperdon</i>	<i>perlatum</i>	Persoon	X	X	X	X		X	X		X	X	X				X	X			11
252	<i>Lycoperdon / Apioperdon</i>	<i>pyriforme</i>	Schaeffer		X	X	X		X	X		X	X	X			X	X	X			11
253	<i>Lyophyllum</i>	<i>decastes (group)</i>	(Fries) Singer		X	X	X							X	X		X	X				7
254	<i>Marasmius</i>	<i>sp.</i>					X															1
255	<i>Melanoleuca</i>	<i>sp.</i>						X				X	X	X								4
256	<i>Melastiza</i>	<i>chateri</i>	(W.G. Smith) Boudier							X												1
257	<i>Mycena</i>	<i>amicta, cf.?</i>	(Fries) Quélet	X																		1
258	<i>Mycena</i>	<i>aurantidisca</i>	(Murrill) Murrill	X	X	X	X	X	X	X		X	X				X	X			= <i>Atheniella aurantiidisca</i> (Murrill) R	11
259	<i>Mycena</i>	<i>epipterygia</i>	(Scopoli) Gray				X	X		X	X	X	X	X			X	X				10
260	<i>Mycena</i>	<i>galericulata</i>	(Scopoli) Gray				X	X		X	X	X	X	X			X	X				10
261	<i>Mycena</i>	<i>maculata</i>	P. Karsten		X			X		X		X	X	X	X		X	X				9
262	<i>Mycena</i>	<i>pura (group)</i>	(Persoon) P. Kummer		X							X	X				X	X				5
263	<i>Mycena</i>	<i>rosella</i>	(Fries) P. Kummer					X				X					X	X				4
264	<i>Mycena</i>	<i>rosea</i>																X			Susie collection	1
265	<i>Mycena</i>	<i>sp.</i>						X									X	X				3
266	<i>Mycena</i>	<i>strobilinoidea</i>	Peck		X		X	X	X	X		X	X		X		X	X				10
267	<i>Nectriopsis</i>	<i>violacea</i>	(J.C. Schmidt ex Fries) Maire											X	X				X			3
268	<i>Nidula</i>	<i>candida</i>	(Peck) V.S. White														X	X				2
269	<i>Onnia</i>	<i>tomentosa</i>	(Fries) P. Karsten		X	X	X		X			X	X	X	X		X	X			= <i>Inonotus tomentosus</i> (Fries) Teng	10
270	<i>Ossicaulis</i>	<i>lignatilis</i>	(Persoon) Redhead & Ginns											X								1
271	<i>Otidea</i>	<i>sp.</i>			X								X									2
272	<i>Otidea</i>	<i>alutacea</i>	(Persoon) Massee				X	X														2
273	<i>Otidea</i>	<i>onotica</i>	(Persoon) Fuckel							X												1
274	<i>Paxillus</i>	<i>involutus s.l.</i>	(Batsch) Fries	X	X	X	X	X	X	X		X	X	X	X		X	X				13
275	<i>Peziza</i>	<i>repanda, aff. varia</i>	Wahlenberg	X				X	X													3
276	<i>Peziza</i>	<i>sp.</i>		X	X												X	X				4
277	<i>Phaeolepiota</i>	<i>aurea</i>	(Mattuschka) Maire	X	X	X	X	X		X			X					X				8
278	<i>Phaeolus</i>	<i>schweinitzii</i>	(Fries) Patouillard				X					X			X		X					4
279	<i>Phanerochaete</i>	<i>sanguinea</i>	(Fries) Pouzar											X							= <i>Atheliachaete sanguinea</i> (Fries) S	1
280	<i>Phellinus</i>	<i>ignarius</i>	(Linnaeus) Quélet					X				X					X					3
281	<i>Phellodon</i>	<i>tomentosus</i>	(Linnaeus) Banker			X			X				X	X			X					5
282	<i>Phlebia</i>	<i>tremellosa</i>	(Schradler) Nakasone & Burdsall											X								1
283	<i>Phlogiotus</i>	<i>helvelloides</i>	(DeCandolle) G.W. Martin							X							X				= <i>Guepinia helvelloides</i> (DeCandolle)	2
284	<i>Pholiota</i>	<i>alnica (group)</i>	(Fries) Singer				X	X	X	X			X	X	X		X	X				9
285	<i>Pholiota</i>	<i>astragalina</i>	(Fries) Singer	X	X	X	X	X	X			X	X	X			X	X	X		= <i>Pyrrhulomyces a.</i>	12
286	<i>Pholiota</i>	<i>aurivella (group)</i>	(Batsch) P. Kummer											X	X		X				<i>P. adiposa</i> on hardwoods?	4
287	<i>Pholiota</i>	<i>decorata</i>	(Murrill) A.H. Smith & Hesler					X		X				X			X					5
288	<i>Pholiota</i>	<i>kodiakensis</i>	A.H. Smith & Hesler														X					1
289	<i>Pholiota</i>	<i>populnea</i>	(Persoon) Kuyper & Tjallingii-Beukers	X								X						X			= <i>Hemipholiota populnea</i> (Persoon)	3
290	<i>Pholiota</i>	<i>flammans</i>	(Batsch) P. Kummer				X	X	X				X	X			X	X				7
291	<i>Pholiota</i>	<i>sp.</i>					X					X		X			X					4
292	<i>Pholiota</i>	<i>spumosa (complex)</i>	(Fries) Singer						X		X		X				X					4
293	<i>Pholiota</i>	<i>squarrosa (kodiakensis?)</i>	(Vahl) P. Kummer	X	X	X		X	X	X	X	X	X				X		X		At least some of these probably rep	11
294	<i>Pholiota</i>	<i>terrestris</i>	Overholts	X											X							2
295	<i>Phylloporus</i>	<i>arenicola</i>	A.H. Smith & Trappe						X													1
296	<i>Phylloporus</i>	<i>nidulans</i>	(Persoon) Singer	X		X				X		X					X	X				6
297	<i>Piptoporus</i>	<i>betulinus</i>	(Bulliard) P. Karsten	X	X	X	X			X		X		X	X		X	X	X		= <i>Fomitopsis betulina</i> (Bulliard) B.K.	11
298	<i>Pleurocybella</i>	<i>porrigens</i>	(Persoon) Singer	X	X	X	X	X	X	X	X	X	X	X	X		X	X				14
299	<i>Pleurotus</i>	<i>populinus</i>	O. Hilber & O.K. Miller		X	X				X												3
300	<i>Pluteus</i>	<i>sp.</i>							X	X			X					X				4
301	<i>Pluteus</i>	<i>cervinus (group)</i>	(Schaeffer) P. Kummer		X																	1
302	<i>Pluteus</i>	<i>patricius</i>	(Schulzer) Boudier	X																	= <i>Pluteus petasatus</i> (Fries) Gillet	1
303	<i>Plicaturopsis</i>	<i>crispa</i>															X					1

	Genus	Species epithet	Authority	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	COVID	2021	2022	2023	2024	NOTES	# Years
304	<i>Polyporus</i>	<i>badius</i>	(Persoon) Schweinitz	X	X			X						X				X			≡ <i>Picipes badius</i> (Persoon) Zmitrov	4
305	<i>Polyporus</i>	<i>brumalis</i>	(Persoon) Fries											X							≡ <i>Lentinus brumalis</i> (Persoon) Zmitrov	1
306	<i>Polyporus</i>	<i>leptocephalus</i>	(Jacquin) Fries															X			≡ <i>Cerioporus leptocephalus</i> (Jacquin)	1
307	<i>Porodaedalea</i>	<i>pini</i>	(Brotero) Murrill		X		X	X	X		X	X	X	X	X		X	X			≡ <i>Phellinus pini</i> (Brotero) Pilát	11
308	<i>Postia</i>	<i>fragilis</i>	(Fries) Jülich									X		X				X				3
309	<i>Postia</i>	<i>ptychogaster</i>	(F. Ludwig) Vesterholt											X			X	X				3
310	<i>Protostropharia</i>	<i>alcis</i>	(Kytövuori) Redhead										X						X			2
311	<i>Psathyrella</i>	<i>sp.</i>		X					X													2
312	<i>Pseudohydnum</i>	<i>gelatinosum</i> (group)	(Scopoli) P. Karsten			X	X	X	X		X	X	X	X			X	X	X			11
313	<i>Pycnoporellus</i>	<i>alboluteus</i>	(Ellis & Everhart) Kotlaba & Pouzar																			0
314	<i>Pycnoporellus</i>	<i>fulgens</i>	(Fries) Donk				X	X		X		X	X	X	X		X	X				9
315	<i>Pycnoporus</i>	<i>cinnabarinus</i>	(Jacquin) P. Karsten			X			X								X					3
316	<i>Ramaria</i>	<i>abietina</i>	(Persoon) Quélet	X																	≡ <i>Phaeoclavulina abietina</i> (Persoon)	2
317	<i>Ramaria</i>	<i>testaceoflava</i> var. <i>brunnea</i>	(Zeller) Marr & D.E. Stuntz		X	X	X	X	X	X		X	X	X	X		X	X	X			13
318	<i>Ramaria</i>	<i>sp.</i>												X				X	X			3
319	<i>Ramaria</i>	<i>stricta</i> , cf.																X				1
320	<i>Rhodocollybia</i>	<i>butyracea</i>	(Bulliard) Lennox			X		X	X									X				4
321	<i>Rhodocollybia</i>	<i>maculata</i>	(Albertini & Schweinitz) Singer				X	X						X			X	X				5
322	<i>Rickenella</i>	<i>fibula</i>	(Bulliard) Raithelhuber										X									1
323	<i>Russula</i>	<i>adusta</i>	(Persoon) Fries				X	X		X			X	X								5
324	<i>Russula</i>	<i>aeruginea</i>	Lindblad ex Fries	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X		Many probably represent <i>R. graminea</i>	15
325	<i>Russula</i>	<i>azurea</i>	Bresadola	X																		1
326	<i>Russula</i>	<i>bicolor</i>	Burlingham		X		X					X	X	X	X			X				7
327	<i>Russula</i>	<i>brevipes</i> / <i>cascadensis</i>	Peck / Shaffer		X	X			X	X		X						X				7
328	<i>Russula</i>	<i>brunneola</i> , cf.	Burlingham											X	X							4
329	<i>Russula</i>	<i>brunneoviolacea</i> , cf.	Crawshaw											X								1
330	<i>Russula</i>	<i>claroflava</i> , cf.	Grove						X		X											2
331	<i>Russula</i>	<i>crassotunicata</i>	Singer							X		X	X	X								4
332	<i>Russula</i>	<i>cremoricolor</i>	Earle															X				1
333	<i>Russula</i>	<i>decolorans</i>	(Fries) Fries											X					X			2
334	<i>Russula</i>	<i>densifolia</i>	Secretan ex Gillet						X													1
335	<i>Russula</i>	<i>elaodes</i>	(Bresadola) Romagnesi ex Bon								X										≡ <i>R. pseudo-olivascens</i> Kärcher	1
336	<i>Russula</i>	<i>emetica</i> , cf.	(Schaeffer) Persoon	X	X	X	X		X	X		X						X				8
337	<i>Russula</i>	<i>fragilis</i>	Fries	X	X		X	X				X		X								6
338	<i>Russula</i>	<i>fragrantissima</i> (group)	Romagnesi		X	X	X	X	X	X	X	X	X	X	X		X	X	X		<i>R. laurocerasi</i> , etc.	14
339	<i>Russula</i>	<i>lutea</i>	(Hudson) Gray											X				X			≡ <i>Russula risigallina</i> (Batsch) Sacc	2
340	<i>Russula</i>	<i>mustelina</i>	Fries					X						X								2
341	<i>Russula</i>	<i>nigricans</i>	Fries	X	X	X						X					X		X			6
342	<i>Russula</i>	<i>occidentalis</i> , cf.	Singer		X							X						X	X		≡ <i>Russula viscida</i> Kudrna	4
343	<i>Russula</i>	<i>paludosa</i>	Britzelmayr														X					2
344	<i>Russula</i>	<i>puellaris</i>	Fries											X								1
345	<i>Russula</i>	<i>sp.</i>					X	X				X	X					X				5
346	<i>Russula</i>	<i>xerampelina</i>	(Schaeffer) Fries				X	X			X											3
347	<i>Sarcodon</i>	<i>imbricatus</i>	(Linnaeus) P. Karsten	X	X	X	X	X	X	X	X						X	X	X			11
348	<i>Sarcodon</i>	<i>stereosarcinon</i>	Wehmeyer															X				1
349	<i>Scutellinia</i>	<i>scutellata</i>	(Linnaeus) Lambotte		X																	1
350	<i>Scutellinia</i>	<i>sp.</i>						X					X	X	X							4
351	<i>Sistotrema</i>	<i>confluens</i>	Persoon							X								X				2
352	<i>Skeletocutis</i>	<i>nivea</i>	(Junguhn) Jean Keller						X			X										2
353	<i>Spathularia</i>	<i>flavida</i>	Persoon	X		X						X	X				X					5
354	<i>Spathulariopsis</i>	<i>velutipes</i>																	X			1
355	<i>Spinellus</i>	<i>fusiger</i>	(Link) Tieghem	X	X				X	X		X					X	X				7
356	<i>Stropharia</i>	<i>ambigua</i>	(Peck) Zeller						X									X				2
357	<i>Stropharia</i>	<i>hornemannii</i>	(Fries) S. Lundell & Nannfeldt	X			X	X	X		X	X		X			X	X	X			10
358	<i>Suillus</i>	<i>luteus</i>	(Linnaeus) Roussel									X										1
359	<i>Suillus</i>	<i>sp.</i>			X																	1
360	<i>Suillus</i>	<i>grevillei</i>	(Klotzsch) Singer		X					X												2
361	<i>Suillus</i>	<i>tomentosus</i>	Singer				X															1
362	<i>Thelephora</i>	<i>caryophyllea</i>	(Schaeffer) Persoon						X													1
363	<i>Thelephora</i>	<i>palmata</i>	(Scopoli) Fries					X	X		X											2
364	<i>Thelephora</i>	<i>sp.</i>						X		X				X				X				4
365	<i>Thelephora</i>	<i>terrestris</i>	Ehrhart		X	X							X				X					4
366	<i>Trametes</i>	<i>ochracea</i>	(Persoon) Gilb. & Ryvarden						X								X	X				3
367	<i>Trametes</i>	<i>pubescens</i>	(Schumacher) Pilát											X	X		X					3

	Genus	Species epithet	Authority	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	COVID	2021	2022	2023	2024	NOTES	# Years
368	<i>Trametes</i>	<i>suaveolens</i>	(Linnaeus) Fries								X											1
369	<i>Trametes</i>	<i>versicolor</i>	(Linnaeus) Lloyd	X	X		X															3
370	<i>Tremella</i>	<i>foliacea</i>	Persoon															X			= <i>Phaeotremella foliacea</i> (Persoon) W	1
371	<i>Trichaptum</i>	<i>abietinum</i>	(Persoon) Ryvarden				X	X				X	X	X			X	X				7
372	<i>Trichaptum</i>	<i>biforme</i>	(Fries) Ryvarden										X	X	X		X	x				5
373	<i>Trichoderma</i>	<i>alutaceum</i>	Jaklitsch						X								X	X				2
374	<i>Trichoderma</i>	<i>leucopus</i>	Jaklitsch				X					X	X				X	X			What we had called <i>Podostroma al</i>	5
375	<i>Tricholoma</i>	<i>arvernense</i>	Bon											X								1
376	<i>Tricholoma</i>	<i>atrofibrillosum</i>	S.A. Trudell, A.D. Parker & E.T. Cline															X	X			2
377	<i>Tricholoma</i>	<i>caligatum sensu auct. AK</i>		X															X		<i>T. dulciolens</i> ? <i>T. badicephalum</i> ?	2
378	<i>Tricholoma</i>	<i>focale (group)</i>	(Fries) Ricken			X			X					X							<i>T. focale</i> and <i>T. badicephalum</i>	3
379	<i>Tricholoma</i>	<i>fulvum</i>	(Candolle) Bigeard & H. Guillaume															X				1
380	<i>Tricholoma</i>	<i>inamoenum (group)</i>	(Fries) Gillet		X				X	X		X	X	X			X	X	X			9
381	<i>Tricholoma</i>	<i>lutescens</i>	S.A. Trudell, A.D. Parker & E.T. Cline															X				1
382	<i>Tricholoma</i>	<i>pessundatum (group)</i>	(Fries) Quélet			X			X	X		X	X	X			X				Many records probably <i>T. fulvum</i> .	7
383	<i>Tricholoma</i>	<i>ammophilum ("populinum")</i>	J.E. Lange		X			X										X				3
384	<i>Tricholoma</i>	<i>saponaceum (group)</i>	(Fries) P. Kummer	X	X	X	X	X	X	X		X	X		X		X	X				12
385	<i>Tricholoma</i>	<i>sejunctum (group)</i>	(Sowerby) Quélet						X					X							<i>T. atrofibrillosum</i> and <i>T. subsejunct</i>	2
386	<i>Tricholoma</i>	<i>sp.</i>					X															1
387	<i>Tricholoma</i>	<i>transmutans</i>	Peck				X	X													Probably <i>T. fulvum</i> .	2
388	<i>Tricholoma</i>	<i>vaccinum</i>	(Schaeffer) P. Kummer		X	X	X	X	X	X		X	X	X	X		X	X	X			13
389	<i>Tricholoma</i>	<i>subacutum ("virgatum")</i>	(Fries) P. Kummer		X					X		X		X			X	X				6
390	<i>Tricholomopsis</i>	<i>decora</i>	(Fries) Singer		X	X	X	X	X	X	X	X	X	X			X	X	X			13
391	<i>Tricholomopsis</i>	<i>rutilans</i>	(Schaeffer) Singer	X	X		X	X	X	X	X	X	X	X	X		X	X	X			14
392	<i>Tyromyces</i>	<i>sp.</i>													X							1
393	<i>Xerocomus</i>	<i>submentosus</i>	(Linnaeus) Quélet											X			X					2
394	<i>Xeromphalina</i>	<i>cornui / cauticinalis?</i>	(Quélet) J. Favre / (Fries) Kühner & Maire					X	X				X					X				4
395	<i>Xylaria</i>	<i>hypoxylon</i>	(Linnaeus) Greville						X				X					X	X			4
396	<i>Zythia</i>	<i>resinae</i>															X	X				2
397	<i>Tricholoma</i>	<i>equestre</i>																	X			1
398	<i>Pseudoclitocybe</i>																		X			1
399	<i>Connopus</i>																		X			1
400	<i>Coprinopsis</i>																		X			1
		<b># species</b>		<b>87</b>	<b>114</b>	<b>89</b>	<b>118</b>	<b>111</b>	<b>129</b>	<b>102</b>	<b>50</b>	<b>138</b>	<b>117</b>	<b>160</b>	<b>61</b>	<b>0</b>	<b>148</b>	<b>225</b>	<b>121</b>			
			<b>2008-2023 Mean (w/o COVID)</b>	118																		
			<b>SD</b>	42																		
			<b>Min</b>	50																		
			<b>Max</b>	225																		